## **Rehabilitation Protocol:** ACL, MCL and PLC (Posterolateral Corner) Reconstruction

Name:	Date:
Diagnosi	s: Date of Surgery:
EARLY	PHASE (Weeks 0-4)
	/eight Bearing and Range of Motion
	<ul> <li>0-6 weeks: toe-touch weight bearing w/ crutches</li> </ul>
	<ul> <li>ROM: A/AAROM 0-90° as tolerated</li> </ul>
• B	race Use:
	<ul> <li>Locked in full extension at all times other than PT</li> </ul>
• T	herapeutic Elements:
	<ul> <li>Modalities as needed</li> </ul>
	<ul> <li>Patella Mob; SLR's with electric stim.; co-contractions, prone hangs</li> </ul>
	<ul> <li>Estim; Cocontractions</li> </ul>
	$\circ$ No abduction of hip or leg at any time.
	• No prone hangs if PCL reconstruction!!
• G	oals:
	○ a/aa/ROM: 0-0-90
	<ul> <li>Control pain/swelling</li> <li>Quad control</li> </ul>
	• Quad control
	VERY PHASE (Weeks 5-8)
• W	/eight Bearing and Range of Motion:
_	<ul> <li>Discontinue crutches at week 6</li> </ul>
• Bi	race Use:
	• At all times, open to AROM; discontinue at week 8
• 11	herapeutic Elements:
	<ul> <li>Continue above</li> <li>Contlo him abduction with no registerion below lines.</li> </ul>
	<ul> <li>Gentle hip abduction with no resistance below knee</li> <li>Wall-sits 0-45</li> </ul>
	<ul> <li>Wall-sits 0-45</li> <li>Mini-squats with support 0-45</li> </ul>
	<ul> <li>Carpet drags (not with PCL reconstruction!!)</li> </ul>
	<ul> <li>Pool therapy</li> </ul>
	<ul> <li>Treadmill walking by 8 weeks</li> </ul>
• G	oals:
	• a/aa/ROM: 0-0-110 by 6 weeks and free by 8 weeks
	• SLR x 30
	• No effusion
STRE	NGTHEN PHASE (Weeks 8-12)
	/eight Bearing and Range of Motion:
	• Full
• T	herapeutic Elements:
	<ul> <li>Continue above with increased resistance</li> </ul>

- Step-downs
- Treadmill
- o Stretching

- Begin prone hangs and HSL (if PCL reconstruction)
- Goals:
  - Walk 1-2 miles at 15 min/mile pace

## **REINTEGRATION PHASE (Months 3-5)**

- Weight Bearing and Range of Motion:
  - o Full
- Brace Use:
  - o None
  - If return to sport, fitting for custom brace by 5 months
  - Can start jogging/running at 6 months
- Therapeutic Elements:
  - Slide boards
  - Begin agility drills
  - Figure 8's
  - Gentle loops
  - Large zig-zags
  - o Swimming
  - o Begin plyometrics at 4 months
- Goals:
  - Treadmill (walk 1-2 miles at 10-12 min/mile pace)
  - Return to competitive activities

## **Comments:**

Frequency:	times per week	Duration:	weeks
------------	----------------	-----------	-------

Signature: \_\_\_\_\_

Date: \_\_\_\_\_