## **Rehabilitation Protocol: MCL and PCL Reconstruction**

Name	e: Date:
Diagn	nosis: Date of Surgery:
EAI	RLY PHASE (Weeks 0-4)
•	Weight Bearing and Range of Motion
	<ul> <li>0-6 weeks: toe-touch weight bearing w/ crutches</li> </ul>
	<ul> <li>ROM: A/AAROM 0-90° astolerated</li> </ul>
•	Brace Use:
	<ul> <li>Locked in full extension at all times other than PT</li> </ul>
•	Therapeutic Elements:
	<ul> <li>Modalities as needed</li> </ul>
	<ul> <li>Patella Mob; SLR's with electric stim.; co-contractions, prone hangs</li> </ul>
	<ul> <li>Estim; Cocontractions</li> </ul>
	<ul> <li>No abduction of hip or leg at any time.</li> </ul>
	• No prone hangs if PCL reconstruction!!
•	Goals:
	• a/aa/ROM: 0-0-90
	<ul> <li>Control pain/swelling</li> </ul>
	<ul> <li>Quad control</li> </ul>
RI	ECOVERY PHASE (Weeks 5-8)
٠	Weight Bearing and Range of Motion:
	<ul> <li>Discontinue crutches at week 6</li> </ul>
•	Brace Use:
	<ul> <li>At all times, open to AROM; discontinue at week 8</li> </ul>
٠	Therapeutic Elements:
	<ul> <li>Continue above</li> </ul>
	<ul> <li>Gentle hip abduction with no resistance below knee</li> </ul>
	• Wall-sits 0-45
	<ul> <li>Mini-squats with support 0-45</li> </ul>
	<ul> <li>Carpet drags (not with PCL reconstruction!!)</li> </ul>
	• Pool therapy
	• Treadmill walking by 8 weeks
•	Goals:
	<ul> <li>a/aa/ROM: 0-0-110 by 6 weeks and free by 8 weeks</li> <li>SLR x 30</li> </ul>
	• No effusion
S	FRENGTHEN PHASE (Weeks 8-12)
•	Weight Bearing and Range of Motion:
	o Full
•	Therapeutic Elements:
	• Continue above with increased resistance
	<ul> <li>Step-downs</li> </ul>

- Treadmill
- Stretching

- Begin prone hangs and HSL (if PCL reconstruction)
- Goals:
  - Walk 1-2 miles at 15 min/mile pace

## **REINTEGRATION PHASE (Months 3-5)**

- Weight Bearing and Range of Motion:
  - o Full
- Brace Use:
  - $\circ$  None
  - If return to sport, fitting for custom brace by 5 months
  - Can start jogging/running at 6 months
  - Therapeutic Elements:
    - Slide boards
    - Begin agility drills
    - Figure 8's
    - o Gentle loops
    - Large zig-zags
    - Swimming
    - Begin plyometrics at 4 months
- Goals:
  - Treadmill (walk 1-2 miles at 10-12 min/mile pace)
  - Return to competitive activities

## **Comments:**

٠

Frequency:	times per week	Duration:	weeks
------------	----------------	-----------	-------

Signature:\_\_\_\_\_

Date: \_\_\_\_\_